



TRUNKING SYSTEMS

With Multi-Compartment Trunking, dividing fillets are normally supplied spotwelded in position, but can also be supplied loose for fixing on-site by drilling and screwing. Spot welds can be treated with Norgalv paint as an extra on request. Purpose-made trunking can be supplied with conduit entries at pre-determined regular intervals in sides and in dividing fillets.

When trunking is mounted vertically or in the inverted position it is recommended that Cable Supports are fitted.

Bends, Tees, Intersections, etc. are be supplied complete with Dividing Fillets. Tees with Top Lids and Intersection Boxes are supplied with fitted Cross-over Bridges.

Example Tee and Bend assemblies with unequal compartments are shown in this section.

Three, four or more compartment trunking is available.




ACCREDITED TO THE FOLLOWING STANDARDS:

32

ST

HOW TO ORDER

Example 1: Gussett Bend Top Lid (GTB)



Equ. Equ. Equ.


Equal compartments

In the instance where all compartments are equally proportioned, please use the following order code format:

STEP 1: **Product Type**

STEP 2: Size Code STEP 3: Compartment Qty.

| Example | Part Code | Description | | | |
|-----------------|-----------|-------------------------------|--|--|--|
| eg. 1.1 | GTB66x2 | GTB, Size 6x6, 2 compartments | | | |
| eg. 1.2 GTB44x3 | | GTB, Size 4x4, 3 compartments | | | |



Unequal compartments

In the instance where all compartments are unequally proportioned please use the following order code format, giving dimensions of A,B,C,D as applicable, to your Unitrunk Rep.

STEP 1: **Product Type** STEP 2: Size Code STEP 3: Compartment Qty.

STEP 4: **Unequal Code**

Give A,B, etc. dimensions to Unitrunk Rep.


| Example | Part Code | Description | | | |
|---------|-----------|--|--|--|--|
| eg. 1.3 | GTB66x2U | GTB, Size 6x6, 2 compartments, unequal (A, B) | | | |
| eg. 1.4 | GTB44x3U | GTB, Size 4x4, 3 compartments, unequal (A, B, C) | | | |




QUICKFIX MULTI-COMPARTMENT TRUNKING

Example 2:

Gussett Tee Top Lid (GTT)





Unequal compartments

In the instance where all compartments are unequally proportioned please use the following order code format, giving dimensions of A,B,C,D as applicable, to your Unitrunk Rep.

STEP 1: Product Type STEP 2: Size Code STEP 3: Compartment Qty.

STEP 4: **Unequal Code** Give A,B, etc. dimensions to Unitrunk Rep.

| Example | Part Code | Description | | | |
|---------|-----------|--|--|--|--|
| eg. 2.3 | GTT66x2U | GTT, Size 6x6, 2 compartments, unequal (A, B) | | | |
| eg. 2.4 | GTT44x3U | GTT, Size 4x4, 3 compartments, unequal (A, B, C) | | | |






34

Example 3:

Intersection Box (ITB)




Equal compartments

In the instance where all compartments are equally proportioned, please use the following order code format:

STEP 1: Product Type STEP 2: Size Code STEP 3: Compartment Qty.

| Example | Part Code | Description |
|---------|-----------|-------------------------------|
| eg. 3.1 | ITB33x2 | ITB, Size 3x3, 2 compartments |
| eg. 3.2 | ITB66x3 | ITB, Size 6x6, 3 compartments |



Unequal compartments

In the instance where all compartments are unequally proportioned please use the following order code format, giving dimensions of A,B,C,D as applicable, to your Unitrunk Rep.

STEP 1: Product Type

STEP 2: Size Code STEP 3: Compartment Qty.

STEP 4: Unequal Code Give A,B, etc. dimensions to Unitrunk Rep.

| Example | Part Code | Description |
|---------|-----------|---|
| eg. 3.3 | ITB63x4U | ITB, Size 6x3, 4 compartments, unequal (A, B, C, D) |

QUICKFIX MULTI-COMPARTMENT TRUNKING

STEP 1: Choose finish







PRE-GALVANISE

ISED POWDER COATED

STEP 2: Choose product

| Part Code | Product Name | | | |
|--------------|---|--|--|--|
| TK | Trunking (3m lengths)* | | | |
| TS | Cover Strap (Width only) | | | |
| TKHDB | Trunking to Channel Bracket (Height only) | | | |
| GSL | Galvanised Steel Lid (Width only) | | | |
| TC | Trunking Coupling | | | |
| DF | Dividing Fillet - Loose (Height only) | | | |
| GTB | Gusset Bend Top Lid | | | |
| GIB | Gusset Bend Inside Lid | | | |
| GOB | Gusset Bend Outside Lid | | | |
| STE | Sharp Elbow Top Lid | | | |
| SIE | Sharp Elbow Inside Lid | | | |
| SOE | Sharp Elbow Outside Lid | | | |
| GTT | Gusset Tee Top Lid | | | |
| GIT | Gusset Tee Inside Lid | | | |
| GOT | Gusset Tee Outside Lid | | | |
| STT | Sharp Tee Top Lid | | | |
| SIT | Sharp Tee Inside Lid | | | |
| SOT | Sharp Tee Outside Lid | | | |
| ITB | Intersection Box | | | |
| TE | 45° Elbow Top Lid | | | |
| IE | 45 Elbow Inside Lid | | | |
| OE | 45 Elbow Outside Lid | | | |
| RE | Reducer | | | |
| FF | Flared Flange | | | |
| BE | Blank End | | | |
| LCS | Lid Clips (Strap and Stud) | | | |
| FC | Flanged Coupling | | | |
| CS | Cable Support | | | |
| CES | Earth Link (Copper) x 10 | | | |
| TCES | Earth Link (Tinned Copper) x 10 | | | |
| CR | Cable Retainer Strap x 10 | | | |
| STL1 | Socket Outlet (Single) | | | |
| STL2 | Socket Outlet (Double) | | | |
| PES | PVC Edging Strip - per metre | | | |

STEP 3: Choose size STEP 4: Compartments

| w | μ | Size | No. of compartme | | ents | |
|------|------|------|------------------|--------------|--------------|--------------|
| (mm) | (mm) | Code | x1 | x2 | хЗ | х4 |
| 50 | 50 | 22 | / | \checkmark | | |
| 75 | 50 | 32 | / | / | | |
| 75 | 75 | 33 | / | \checkmark | | |
| 100 | 50 | 42 | / | \ | \checkmark | |
| 100 | 75 | 43 | / | \checkmark | \checkmark | |
| 100 | 100 | 44 | / | \checkmark | \checkmark | |
| 150 | 50 | 62 | / | \checkmark | \checkmark | \checkmark |
| 150 | 75 | 63 | / | \checkmark | \checkmark | \checkmark |
| 150 | 100 | 64 | / | \checkmark | \checkmark | \checkmark |
| 150 | 150 | 66 | / | \checkmark | \checkmark | \checkmark |
| 200 | 50 | 82 | / | \checkmark | \checkmark | \checkmark |
| 200 | 75 | 83 | / | \checkmark | \checkmark | \checkmark |
| 200 | 100 | 84 | | \checkmark | \checkmark | \checkmark |
| 200 | 150 | 86 | | \checkmark | \checkmark | \checkmark |
| 200 | 200 | 88 | | \checkmark | \checkmark | \checkmark |
| 225 | 50 | 92 | _ | \checkmark | \checkmark | \checkmark |
| 225 | 75 | 93 | \ | \ | \ | |
| 225 | 100 | 94 | | | | |
| 225 | 150 | 96 | | \ | | |
| 225 | 225 | 99 | | \ | \ | \checkmark |

NB. Specialist Gauges

Gauges conform to latest specifications. For specialist requirements, a range of gauges is available on request.

For trunking sizes greater than TK99, alternative lid options, and/or multiple material configurations, please contact your nearest Unitrunk depot and ask about our Non-Standard Trunking range.

Cover Straps are ONLY required on length to length joins.

^{*}One Cover Strap supplied per 3m trunking length to ensure IP4X compliance.

^{**}Stainless Steel finish trunking products are supplied with standard nuts, bolts and screwfix lid (instead of Unibolts and turnbuckle fastener lid).



CLIENT

Balfour Beatty

Overall cost of project

M&E Contractor: BST Electrical Ltd.

BACKGROUND

The MMUH will offer maternity, children's and inpatient adult facilities to half a million people across the Sandwell and West Birmingham NHS Trust region.

"The service we have received from Unitrunk has been second to none. Despite the challenges the COVID-19 pandemic presented, such as the nationwide shortage of materials, the Unitrunk team have delivered an outstanding and uninterrupted service. Their location network enabled efficient fulfillment of orders, ensuring our project schedule has stayed on track."

PRODUCTS SUPPLIED

David Fahey, Managing Director **BST Electrical Ltd.**

